

BC-6C (CAC406C) 連続鑄造青銅パイプ

表1~4

※=在庫無くなり次第廃番

☆=在庫限り

表1

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)			概算重量 (kg/m)
	定尺 (-0~+120)		外径 (mm)	x	内径 (mm)	
30x15		3000	30.7~32.0	x	12.0~14.0	5.8
30x20		3000	30.7~32.0	x	17.0~19.0	4.7
35x15		3000	35.7~37.0	x	12.0~14.0	8.3
35x20		3000	35.7~37.0	x	17.0~19.0	7.1
35x25		3000	35.7~37.0	x	22.0~24.0	5.6
40x20		3000	40.7~42.0	x	17.0~19.0	9.8
40x25		3000	40.7~42.0	x	22.0~24.0	8.4
40x30		3000	40.7~42.0	x	27.0~29.0	6.6
45x20		3000	45.7~47.0	x	17.0~19.0	12.9
45x25		3000	45.7~47.0	x	22.0~24.0	11.4
45x30		3000	45.7~47.0	x	27.0~29.0	9.6
45x35		3000	45.7~47.0	x	32.0~34.0	7.5
50x20		3000	50.7~52.0	x	17.0~19.0	16.3
50x25		3000	50.7~52.0	x	22.0~24.0	14.9
50x30		3000	50.7~52.0	x	27.0~29.0	13.2
50x35		3000	50.7~52.0	x	32.0~34.0	10.9
50x40		3000	50.7~52.0	x	37.0~39.0	8.5
55x25		3000	55.7~57.0	x	22.0~24.0	18.6
55x30		3000	55.7~57.0	x	27.0~29.0	16.9
55x35		3000	55.7~57.0	x	32.0~34.0	14.7
55x40		3000	55.7~57.0	x	37.0~39.0	12.2
※ 55x45		☆ 3000	55.7~57.0	x	42.0~44.0	10.5
60x30		3000	60.7~62.0	x	27.0~29.0	20.9
60x35		3000	60.7~62.0	x	32.0~34.0	18.8
60x40		3000	60.7~62.0	x	37.0~39.0	16.4
60x45		3000	60.7~62.0	x	42.0~44.0	13.5
60x50		3000	60.7~62.0	x	47.0~49.0	10.3
65x30		3000	65.7~67.0	x	27.0~29.0	25.7
65x35		3000	65.7~67.0	x	32.0~34.0	23.3
65x40		3000	65.7~67.0	x	37.0~39.0	20.8
65x45		3000	65.7~67.0	x	42.0~44.0	18.8

BC-6C (CAC406C) 連続鑄造青銅パイプ

表1~4

※=在庫無くなり次第廃番

☆=在庫限り

表2

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)			概算重量 (kg/m)
	定尺 (-0~+120)		外径 (mm)	x	内径 (mm)	
65x50		3000	65.7~67.0	x	47.0~49.0	14.8
70x35		3000	70.7~72.0	x	32.0~34.0	28.1
70x40		3000	70.7~72.0	x	37.0~39.0	25.7
70x45		3000	70.7~72.0	x	42.0~44.0	22.8
70x50		3000	70.7~72.0	x	47.0~49.0	19.6
70x55		3000	70.7~72.0	x	52.0~54.0	16.1
75x30		3000	75.7~77.0	x	27.0~29.0	37.0
75x35		3000	75.7~77.0	x	32.0~34.0	33.3
75x40		3000	75.7~77.0	x	37.0~39.0	30.8
75x45		3000	75.7~77.0	x	42.0~44.0	28.0
75x50		3000	75.7~77.0	x	47.0~49.0	24.8
75x55		3000	75.7~77.0	x	52.0~54.0	21.3
75x60		3000	75.7~77.0	x	57.0~59.0	18.5
80x40		3000	81.0~82.5	x	37.0~39.0	36.5
80x45		3000	81.0~82.5	x	42.0~44.0	33.9
80x50		3000	81.0~82.5	x	47.0~49.0	30.7
80x55		3000	81.0~82.5	x	52.0~54.0	27.2
80x60		3000	81.0~82.5	x	57.0~59.0	24.4
85x40		3000	86.0~87.5	x	37.0~39.0	42.5
85x50		3000	86.0~87.5	x	47.0~49.0	37.4
85x55		3000	86.0~87.5	x	52.0~54.0	33.0
90x40		3000	91.0~92.5	x	37.0~39.0	48.7
90x50		3000	91.0~92.5	x	47.0~49.0	42.8
90x60		3000	91.0~92.5	x	57.0~59.0	35.7
90x70		3000	91.0~92.5	x	67.0~69.0	26.5
95x45		3000	96.0~97.5	x	42.0~44.0	53.0
95x65		3000	96.0~97.5	x	62.0~64.0	38.1
※ 100x40	☆ 乱尺		101.0~102.5	x	38.0~39.0	62.7
100x50		3000	101.0~103.5	x	46.0~49.0	56.9
100x60		3000	101.0~103.5	x	56.0~59.0	49.4
100x70		3000	101.0~103.5	x	66.0~69.0	41.5

BC-6C (CAC406C) 連続鑄造青銅パイプ

表1~4

※=在庫無くなり次第廃番

☆=在庫限り

表3

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)		概算重量 (kg/m)
	定尺 (-0~+120)		外径 (mm)	x 内径 (mm)	
100x75		3000	101.0~103.5	x 71.0~74.0	35.9
※ 105x65	☆ 乱尺	3000	106.0~108.5	x 61.0~64.0	53.3
105x70		3000	106.0~108.5	x 66.0~69.0	51.0
110x60		3000	111.0~113.5	x 56.0~59.0	66.7
110x70		3000	111.0~113.5	x 66.0~69.0	58.7
110x85		3000	111.0~113.5	x 81.0~84.0	43.4
110x90		3000	111.0~113.5	x 86.0~89.0	35.7
115x65		3000	116.0~118.5	x 61.0~64.0	68.1
120x50		3000	121.0~123.5	x 46.0~49.0	92.5
120x60		3000	121.0~123.5	x 56.0~59.0	84.3
120x80		3000	121.0~123.5	x 76.0~79.0	62.7
120x90		3000	121.0~123.5	x 86.0~89.0	53.0
120x100		3000	121.0~123.5	x 96.0~99.0	39.6
125x65		3000	126.0~128.5	x 61.0~64.0	85.9
※ 127x51		3100	128.0~132.0	x 46.0~49.0	101.0
130x80		3000	131.0~133.5	x 76.0~79.0	81.1
130x100		3000	131.0~133.5	x 96.0~99.0	61.0
※ 139x50	☆ 2500		141.0~144.0	x 46.0~49.0	127.0
140x70		3000	141.0~144.5	x 66.0~69.0	111.8
140x90		3000	141.0~144.5	x 86.0~89.0	91.0
140x110		3000	141.0~144.5	x 106.0~109.0	63.9
150x80		3000	151.0~154.5	x 76.0~79.0	122.5
150x100		3000	151.0~154.5	x 96.0~99.0	98.9
150x120		3000	151.0~154.5	x 116.0~119.0	69.5
160x80	1200	2400	161.5~165.0	x 74.0~79.0	148.1
160x100		3000	161.0~164.5	x 96.0~99.0	124.4
160x120		3000	161.0~164.5	x 116.0~119.0	90.5
160x130		3000	161.0~164.5	x 126.0~129.0	76.2
170x120	2500		171.5~175.0	x 114.5~117.5	119.4
170x140		3000	171.0~174.5	x 136.0~139.0	79.6
180x120		3000	181.0~184.5	x 116.0~119.0	141.7

BC-6C (CAC406C) 連続鑄造青銅パイプ

表1~4

※=在庫無くなり次第廃番

☆=在庫限り

表4

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)		概算重量 (kg/m)
	定尺 (-0~+120)		外径 (mm)	x 内径 (mm)	
180x140		3000	181.0~184.5	x 136.0~139.0	103.2
180x160		3000	181.0~184.5	x 156.0~159.0	65.6
※ 190x140	1200		191.5~195.0	x 134.5~137.5	136.0
200x100		3000	202.0~206.0	x 95.0~98.0	228.3
200x140		3000	202.0~206.0	x 135.0~138.0	163.7
200x160		3000	202.0~206.0	x 155.0~158.0	120.4
210x170	1200		212.0~216.0	x 163.0~167.0	133.8
225x191	1200		227.0~231.0	x 185.0~189.0	122.6
※ 228x153	☆ 乱尺		230.0~233.0	x 148.0~151.0	222.2
230x130	1200		234.0~238.0	x 123.0~126.0	286.1
230x175	1200		232.0~236.0	x 170.0~173.0	176.0
250x150		3000	252.0~256.0	x 145.0~148.0	310.8
257x220	1200		259.0~263.0	x 214.0~218.0	148.0
260x190	1200		262.0~266.0	x 184.0~188.0	251.6
280x160	1200		283.0~287.0	x 153.0~157.0	407.1
※ 280x220	1200		283.0~287.0	x 213.0~217.0	255.2
300x180		3000	302.5~307.0	x 174.0~177.5	452.6
300x250		1200	304.0~308.0	x 239.0~243.0	255.1

BC-3C (CAC403C) 連続鑄造青銅パイプ

表1~3

※=在庫無くなり次第廃番

☆=在庫限り

表1

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)			概算重量 (kg/m)
	定尺 (-0~+150)		外径 (mm)	x	内径 (mm)	
40x20		3000	40.7~43.0	x	16.0~19.0	10.6
45x25	2000	3000	45.7~48.0	x	21.0~24.0	12.5
50x25		3000	50.7~53.0	x	21.0~24.0	15.5
55x30		3000	55.7~58.0	x	26.0~29.0	17.8
60x35		3000	60.7~63.0	x	31.0~34.0	19.3
65x30	2000	3000	65.7~68.0	x	26.0~29.0	27.2
70x40	2000	3000	70.7~73.0	x	36.0~39.0	27.1
70x45		3000	70.7~73.0	x	41.0~44.0	24.2
75x35	2000		75.7~78.5	x	31.0~34.0	35.9
75x55	2000	3000	75.7~78.5	x	51.0~54.0	22.0
※ 80x40	☆ 2000		81.0~84.0	x	36.0~39.0	38.2
80x45	☆ 2000	3000	81.0~84.0	x	41.0~44.0	37.0
80x60	2000	3000	81.0~84.0	x	56.0~59.0	24.5
85x60		3000	86.0~89.0	x	56.0~59.0	31.9
90x40	2000	3000	91.0~94.0	x	36.0~39.0	51.2
90x50		3000	91.0~94.0	x	46.0~49.0	44.0
90x70		3000	91.0~94.0	x	66.0~69.0	32.5
100x50		3000	101.0~104.0	x	45.0~49.0	58.4
100x60		3000	101.0~104.0	x	55.0~59.0	50.8
100x75		3000	101.0~105.0	x	70.0~74.0	40.7
※ 100x85	☆ 2000		101.0~106.0	x	80.0~84.0	33.3
※ 102x70	☆ 2000	3000	103.0~107.0	x	65.0~69.0	51.1
105x80	2000	3000	106.0~109.0	x	75.0~79.0	41.5
110x50	☆ 2000	3000	111.0~114.0	x	45.0~49.0	74.6
110x60	2000	3000	111.0~114.0	x	55.0~59.0	66.1
110x70		3000	111.0~114.0	x	65.0~69.0	61.7
110x85	2000	3000	111.0~114.0	x	80.0~84.0	42.5
120x50	2000		121.0~124.0	x	45.0~49.0	92.5
※ 120x60	☆ 2000		121.0~124.0	x	55.0~59.0	84.5
120x70	2000	3000	121.0~124.0	x	65.0~69.0	77.3
120x80	2000	3000	121.0~124.0	x	75.0~79.0	62.9

BC-3C (CAC403C) 連続鑄造青銅パイプ

表1~3

※=在庫無くなり次第廃番

☆=在庫限り

表2

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)		概算重量 (kg/m)
	定尺 (-0~+150)		外径 (mm)	x 内径 (mm)	
120x90		3000	121.0~124.0	x 85.0~89.0	52.8
130x80		3000	131.0~134.0	x 75.0~79.0	82.7
130x100		3000	131.0~134.0	x 95.0~99.0	59.0
135x55	2400		136.0~139.0	x 50.0~54.0	117.5
140x70		3000	141.0~145.0	x 63.0~69.0	114.6
140x100		3000	141.0~145.0	x 95.0~99.0	79.8
140x110		3000	141.0~145.0	x 103.0~109.0	67.5
150x80		3000	151.0~155.0	x 74.0~79.0	126.4
150x100		3000	151.0~155.0	x 95.0~99.0	104.6
150x120		3000	151.0~155.0	x 114.0~119.0	74.9
160x70		2400	161.0~165.0	x 65.0~69.0	160.4
160x90		2400	161.0~165.0	x 85.0~89.0	138.5
160x110		2500	161.0~165.0	x 105.0~109.0	112.3
160x120		3000	161.0~165.0	x 115.0~119.0	93.1
165x80		3000	166.0~170.0	x 75.0~79.0	162.4
170x120		2500	171.0~175.0	x 115.0~119.0	117.5
180x80	1200		181.0~186.0	x 74.0~79.0	202.7
180x120	1200		181.0~186.0	x 115.0~119.0	143.5
180x140		3000	181.0~186.0	x 135.0~139.0	109.3
185x97	1200		186.0~191.0	x 92.0~96.0	187.0
190x140	1200		191.0~196.0	x 134.0~138.0	140.1
200x140	1200		202.0~207.0	x 134.0~138.0	161.5
205x100	1200		207.0~212.0	x 94.0~98.0	245.6
210x140	1200		212.0~218.0	x 134.0~138.0	199.4
220x100	1200		222.0~228.0	x 94.0~98.0	294.1
220x170	1200		222.0~228.0	x 164.0~168.0	167.3
230x130	1200		232.0~237.0	x 122.0~128.0	283.8
230x160	1200		232.0~237.0	x 154.0~158.0	221.6
※ 235x125	☆ 1200		237.0~242.0	x 119.0~123.0	302.6
※ 240x165	☆ 1200		242.0~248.0	x 159.0~163.0	245.2
240x180	1200		242.0~248.0	x 174.0~178.0	207.6

BC-3C (CAC403C) 連続鑄造青銅パイプ

表1~3

表3

呼称寸法(mm) 外径x内径	長さ (mm)		製造寸法 (参考)		概算重量 (kg/m)
	定尺 (-0~+150)		外径 (mm)	x 内径 (mm)	
250x150	1200		252.0~258.0	x 144.0~148.0	311.2
250x200	1200		252.0~258.0	x 194.0~198.0	194.7
260x200	1200		262.5~268.0	x 191.0~197.5	244.8
270x155	1200		272.5~278.0	x 148.0~152.5	377.1
280x200	1200		282.5~288.0	x 192.0~197.5	316.7
300x200	1200		302.5~308.0	x 193.0~197.5	389.8