

# C2700T-H 黄銅丸管

表1 ※3 x 0.5までC2680

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
1.6	× 0.3	× 2000	0.021
2	× 0.35	× 2000	0.031
2.5	× 0.4	× 2000	0.045
3	× 0.45	× 2800	0.086
3	× 0.5	× 2500	0.083
3.2	× 0.5	× 2500	0.090
3.5	× 0.5	× 2500	0.100
4	× 0.5	× 2500	0.117
4	× 0.8	× 2500	0.171
4	× 1.0	× 2500	0.200
4.5	× 0.5	× 2500	0.133
5	× 0.5	× 2500	0.150
5	× 0.8	× 5000	0.448
5	× 1.0	× 5000	0.534
5.5	× 0.5	× 2500	0.167
6	× 0.5	× 5000	0.367
6	× 0.8	× 5000	0.555
6	× 1.0	× 5000	0.667
6	× 1.2	× 5000	0.769
6	× 1.5	× 5000	0.901
6.35	× 0.5	× 2500	0.195
6.35	× 1.0	× 5000	0.714
7	× 0.5	× 5000	0.434
7	× 1.0	× 5000	0.801
8	× 0.5	× 5000	0.500
8	× 0.8	× 5000	0.769
8	× 1.0	× 5000	0.934
8	× 1.2	× 5000	1.089
8	× 1.5	× 5000	1.301
8	× 2.0	× 5000	1.601
9	× 0.5	× 5000	0.567
9	× 0.8	× 5000	0.875
9	× 1.0	× 5000	1.068
9	× 1.5	× 5000	1.501
9.53	× 0.5	× 5000	0.603
9.53	× 0.8	× 5000	0.932
9.53	× 1.0	× 4000	0.911
9.53	× 1.0	× 5000	1.138

長さ5000未満

表1~8

表2

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
9.53	× 1.2	× 5000	1.334
9.53	× 1.5	× 5000	1.607
9.53	× 2.0	× 5000	2.010
10	× 0.5	× 5000	0.634
10	× 0.8	× 5000	0.982
10	× 1.0	× 5000	1.201
10	× 1.2	× 5000	1.409
10	× 1.5	× 5000	1.701
10	× 2.0	× 5000	2.135
11	× 0.5	× 5000	0.701
11	× 0.8	× 5000	1.089
11	× 1.0	× 5000	1.335
11	× 1.5	× 5000	1.902
11	× 2.0	× 5000	2.402
12	× 0.5	× 5000	0.767
12	× 0.8	× 5000	1.196
12	× 1.0	× 5000	1.468
12	× 1.2	× 5000	1.730
12	× 1.5	× 5000	2.102
12	× 2.0	× 5000	2.669
12.7	× 0.5	× 5000	0.814
12.7	× 0.8	× 5000	1.270
12.7	× 1.0	× 4000	1.249
12.7	× 1.0	× 5000	1.561
12.7	× 1.2	× 5000	1.842
12.7	× 1.5	× 5000	2.242
12.7	× 2.0	× 5000	2.856
13	× 1.0	× 5000	1.601
13	× 1.5	× 5000	2.302
13	× 2.0	× 5000	2.936
14	× 0.8	× 5000	1.409
14	× 1.0	× 5000	1.735
14	× 1.5	× 5000	2.502
14	× 2.0	× 5000	3.203
14	× 3.0	× 5000	4.404
15	× 1.0	× 5000	1.868
15	× 1.2	× 5000	2.210
15	× 1.5	× 5000	2.702

# C2700T-H 黄銅丸管

長さ5000未満

表1~8

表3

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
15	× 2.0	× 5000	3.470
15	× 3.0	× 5000	4.804
15.88	× 0.5	× 5000	1.026
15.88	× 0.8	× 5000	1.610
15.88	× 1.0	× 4000	1.589
15.88	× 1.0	× 5000	1.986
15.88	× 1.2	× 5000	2.351
15.88	× 1.5	× 5000	2.879
15.88	× 2.0	× 5000	3.705
15.88	× 3.0	× 5000	5.157
16	× 1.5	× 5000	2.903
16	× 2.0	× 5000	3.737
17	× 2.0	× 5000	4.004
18	× 1.0	× 5000	2.269
18	× 1.5	× 5000	3.303
18	× 2.0	× 5000	4.270
18	× 3.0	× 5000	6.005
19	× 0.5	× 5000	1.234
19	× 0.8	× 5000	1.943
19	× 1.0	× 4000	1.922
19	× 1.0	× 5000	2.402
19	× 1.2	× 5000	2.850
19	× 1.5	× 5000	3.503
19	× 2.0	× 5000	4.537
19	× 3.0	× 5000	6.406
20	× 1.0	× 5000	2.536
20	× 1.5	× 5000	3.703
20	× 2.0	× 5000	4.804
20	× 3.0	× 5000	6.806
21.7	× 2.5	× 5000	6.406
22	× 0.5	× 5000	1.435
22	× 0.8	× 5000	2.263
22	× 1.0	× 5000	2.802
22	× 1.2	× 5000	3.331
22	× 1.5	× 5000	4.104
22	× 2.0	× 5000	5.338
22	× 3.0	× 5000	7.607
22	× 4.0	× 5000	9.608

表4

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
22.22	× 3.0	× 5000	7.695
24	× 2.0	× 5000	5.872
25	× 1.0	× 5000	3.203
25	× 1.2	× 5000	3.811
25	× 1.5	× 5000	4.704
25	× 2.0	× 5000	6.139
25	× 2.5	× 5000	7.507
25	× 3.0	× 5000	8.808
25	× 5.0	× 5000	13.345
25.4	× 0.5	× 5000	1.661
25.4	× 0.8	× 5000	2.626
25.4	× 1.0	× 4000	2.605
25.4	× 1.0	× 5000	3.256
25.4	× 1.2	× 4000	3.100
25.4	× 1.2	× 5000	3.875
25.4	× 1.5	× 5000	4.784
25.4	× 2.0	× 5000	6.245
25.4	× 3.0	× 5000	8.968
27	× 1.0	× 5000	3.470
27	× 3.5	× 5000	10.976
27.2	× 1.5	× 5000	5.144
27.2	× 3.0	× 5000	9.688
28	× 0.8	× 5000	2.904
28	× 1.0	× 5000	3.603
28	× 1.5	× 5000	5.305
28	× 2.0	× 5000	6.939
28	× 3.0	× 5000	10.009
28.6	× 1.0	× 4000	2.947
28.6	× 1.0	× 5000	3.683
28.6	× 1.5	× 5000	5.421
28.6	× 2.0	× 5000	7.100
28.6	× 3.0	× 5000	10.249
30	× 1.0	× 5000	3.870
30	× 1.2	× 5000	4.612
30	× 1.5	× 5000	5.705
30	× 2.0	× 5000	7.473
30	× 2.5	× 5000	9.175
30	× 3.0	× 5000	10.809

# C2700T-H 黄銅丸管

長さ5000未満

表1~8

表5

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
30	× 4.0	× 5000	13.88
30	× 5.0	× 5000	16.68
31.8	× 0.8	× 5000	3.31
31.8	× 1.0	× 4000	3.29
31.8	× 1.0	× 5000	4.11
31.8	× 1.2	× 4000	3.92
31.8	× 1.2	× 5000	4.90
31.8	× 1.5	× 5000	6.07
31.8	× 2.0	× 5000	7.95
31.8	× 3.0	× 5000	11.53
31.8	× 5.0	× 5000	17.88
32	× 1.5	× 5000	6.11
32	× 2.0	× 5000	8.01
34	× 1.5	× 5000	6.51
34	× 2.0	× 5000	8.54
34	× 3.0	× 5000	12.41
35	× 1.0	× 5000	4.54
35	× 1.2	× 5000	5.41
35	× 1.5	× 5000	6.71
35	× 2.0	× 5000	8.81
35	× 2.5	× 5000	10.84
35	× 3.0	× 5000	12.81
35	× 4.0	× 5000	16.55
35	× 5.0	× 5000	20.02
36	× 1.5	× 5000	6.91
36	× 3.0	× 5000	13.21
38	× 1.0	× 4000	3.95
38	× 1.0	× 5000	4.94
38	× 1.2	× 4000	4.71
38	× 1.2	× 5000	5.89
38	× 1.5	× 5000	7.31
38	× 2.0	× 5000	9.61
38	× 3.0	× 5000	14.01
38	× 5.0	× 5000	22.02
40	× 1.0	× 5000	5.20
40	× 1.5	× 5000	7.71
40	× 2.0	× 5000	10.14
40	× 3.0	× 5000	14.81

表6

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
40	× 4.0	× 5000	19.22
40	× 5.0	× 5000	23.35
41.3	× 1.5	× 5000	7.97
41.3	× 3.0	× 5000	15.33
42	× 1.0	× 5000	5.47
42	× 2.0	× 5000	10.68
42.7	× 1.5	× 5000	8.25
42.7	× 2.0	× 5000	10.86
42.7	× 3.0	× 5000	15.89
44.5	× 1.0	× 5000	5.81
44.5	× 1.5	× 5000	8.61
44.5	× 2.0	× 5000	11.34
44.5	× 3.0	× 5000	16.61
44.5	× 5.0	× 5000	26.36
45	× 2.0	× 5000	11.48
45	× 5.0	× 5000	26.69
46	× 3.0	× 5000	17.22
48	× 1.5	× 5000	9.31
48	× 5.0	× 5000	28.69
48.6	× 1.5	× 5000	9.43
48.6	× 2.0	× 5000	12.44
48.6	× 3.0	× 5000	18.26
50	× 1.5	× 5000	9.71
50	× 2.0	× 5000	12.81
50	× 3.0	× 5000	18.82
50	× 4.0	× 5000	24.55
50	× 5.0	× 5000	30.03
50.8	× 1.0	× 4000	5.32
50.8	× 1.0	× 5000	6.65
50.8	× 1.2	× 4000	6.35
50.8	× 1.2	× 5000	7.94
50.8	× 1.5	× 5000	9.87
50.8	× 2.0	× 5000	13.02
50.8	× 3.0	× 5000	19.14
50.8	× 5.0	× 5000	30.56
50.8	× 6.0	× 5000	35.87
55	× 1.5	× 5000	10.71
55	× 2.0	× 5000	14.15

# C2700T-H 黄銅丸管

表7

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
55	× 3.0	× 5000	20.82
55	× 5.0	× 5000	33.36
57	× 3.0	× 5000	21.62
57.1	× 1.5	× 5000	11.13
60	× 1.0	× 5000	7.87
60	× 1.5	× 5000	11.71
60	× 2.0	× 5000	15.48
60	× 3.0	× 5000	22.82
60	× 4.0	× 5000	29.89
60	× 5.0	× 5000	36.70
60.3	× 5.0	× 5000	36.90
63.5	× 1.5	× 5000	12.41
63.5	× 3.0	× 5000	24.22
63.5	× 4.0	× 5000	31.76
63.5	× 5.0	× 5000	39.03
65	× 3.0	× 5000	24.82
65	× 5.0	× 5000	40.04
70	× 2.0	× 5000	18.15
70	× 3.0	× 5000	26.82
70	× 4.0	× 5000	35.23
70	× 5.0	× 5000	43.37
75	× 3.0	× 5000	28.83
75	× 5.0	× 5000	46.71
76.2	× 1.5	× 5000	14.95
76.2	× 2.0	× 5000	19.80
76.2	× 3.0	× 5000	29.31
76.2	× 5.0	× 5000	47.51
80	× 3.0	× 5000	30.83
80	× 5.0	× 5000	50.04
82.5	× 3.0	× 5000	31.83
85	× 3.0	× 5000	32.83
85	× 5.0	× 5000	53.38
88.9	× 1.5	× 5000	17.50
88.9	× 2.0	× 5000	23.19
88.9	× 3.0	× 5000	34.39
88.9	× 4.0	× 5000	45.32
88.9	× 5.0	× 5000	55.98
90	× 3.0	× 5000	34.83

長さ5000未満

表1~8

表8

外径 (φ)	肉厚 (t)	長さ (mm)	概算Kg
90	× 5.0	× 5000	56.72
95	× 3.0	× 5000	36.83
95	× 5.0	× 5000	60.05
100	× 3.0	× 5000	38.83
100	× 5.0	× 5000	63.39
101.6	× 1.5	× 5000	20.04
101.6	× 2.0	× 5000	26.58
101.6	× 3.0	× 5000	39.47
101.6	× 4.0	× 5000	52.10
101.6	× 5.0	× 5000	64.46
101.6	× 6.0	× 5000	76.55
110	× 5.0	× 5000	70.06
114.3	× 5.0	× 5000	72.93
120	× 3.0	× 5000	46.84
120	× 5.0	× 5000	76.73
127	× 5.0	× 5000	81.40
130	× 5.0	× 5000	83.41
135	× 5.0	× 5000	86.74
140	× 5.0	× 5000	90.08
150	× 3.0	× 5000	58.85
150	× 5.0	× 5000	96.75
152.4	× 5.0	× 5000	98.35
160	× 5.0	× 5000	103.42
165	× 5.0	× 5000	106.76
180	× 5.0	× 5000	116.77
200	× 5.0	× 2500	65.06

## C2700T-H 黄銅四角管

サイズ(mm)					概算Kg	
高さ	×	幅	×	厚み		
6.0	×	6.0	×	1.0	5000	0.7
8.0	×	8.0	×	1.0	5000	1.0
9.0	×	9.0	×	1.0	5000	1.4
9.0	×	9.0	×	1.2	5000	1.6
9.5	×	9.5	×	1.0	5000	1.5
9.5	×	9.5	×	1.2	5000	1.7
12.0	×	12.0	×	1.0	5000	1.8
12.0	×	12.0	×	1.5	5000	2.7
12.7	×	12.7	×	1.0	5000	2.0
12.7	×	12.7	×	1.2	5000	2.4
12.7	×	12.7	×	1.5	5000	3.0
15.0	×	15.0	×	1.5	5000	3.4
15.9	×	15.9	×	1.0	5000	2.6
15.9	×	15.9	×	1.2	5000	3.0
15.9	×	15.9	×	1.5	5000	3.8
19.0	×	19.0	×	1.0	5000	2.8
19.0	×	19.0	×	1.5	5000	4.5
20.0	×	20.0	×	1.5	5000	4.7
22.0	×	22.0	×	1.0	5000	3.6
22.0	×	22.0	×	1.2	5000	4.8
22.0	×	22.0	×	1.5	5000	5.6
25.0	×	25.0	×	1.5	5000	6.0
25.4	×	25.4	×	1.0	5000	4.2
25.4	×	25.4	×	1.2	5000	4.6
25.4	×	25.4	×	1.5	5000	6.2
28.0	×	28.0	×	1.2	5000	5.3
28.0	×	28.0	×	1.5	5000	6.4
30.0	×	30.0	×	1.2	5000	5.9
30.0	×	30.0	×	1.5	5000	7.3
32.0	×	32.0	×	1.2	5000	6.2
32.0	×	32.0	×	1.5	5000	7.7
35.0	×	35.0	×	1.5	5000	9.0
38.1	×	38.1	×	1.5	5000	9.8
40.0	×	40.0	×	1.5	5000	10.0
50.0	×	50.0	×	1.5	5000	12.90
60.0	×	60.0	×	1.5	5000	15.40
75.0	×	75.0	×	2.0	5000	24.60
100.0	×	100.0	×	3.0	5000	49.20

## C2700T-H 黄銅四角管

サイズ(mm)					概算Kg		
高さ	×	幅	×	厚み		長さ	
6.0	×	6.0	×	1.0	×	5000	0.7
8.0	×	8.0	×	1.0	×	5000	1.0
9.0	×	9.0	×	1.0	×	5000	1.4
9.0	×	9.0	×	1.2	×	5000	1.6
9.5	×	9.5	×	1.0	×	5000	1.5
9.5	×	9.5	×	1.2	×	5000	1.7
12.0	×	12.0	×	1.0	×	5000	1.8
12.0	×	12.0	×	1.5	×	5000	2.7
12.7	×	12.7	×	1.0	×	5000	2.0
12.7	×	12.7	×	1.2	×	5000	2.4
12.7	×	12.7	×	1.5	×	5000	3.0
15.0	×	15.0	×	1.5	×	5000	3.4
15.9	×	15.9	×	1.0	×	5000	2.6
15.9	×	15.9	×	1.2	×	5000	3.0
15.9	×	15.9	×	1.5	×	5000	3.8
19.0	×	19.0	×	1.0	×	5000	2.8
19.0	×	19.0	×	1.5	×	5000	4.5
20.0	×	20.0	×	1.5	×	5000	4.7
22.0	×	22.0	×	1.0	×	5000	3.6
22.0	×	22.0	×	1.2	×	5000	4.8
22.0	×	22.0	×	1.5	×	5000	5.6
25.0	×	25.0	×	1.5	×	5000	6.0
25.4	×	25.4	×	1.0	×	5000	4.2
25.4	×	25.4	×	1.2	×	5000	4.6
25.4	×	25.4	×	1.5	×	5000	6.2
28.0	×	28.0	×	1.2	×	5000	5.3
28.0	×	28.0	×	1.5	×	5000	6.4
30.0	×	30.0	×	1.2	×	5000	5.9
30.0	×	30.0	×	1.5	×	5000	7.3
32.0	×	32.0	×	1.2	×	5000	6.2
32.0	×	32.0	×	1.5	×	5000	7.7
35.0	×	35.0	×	1.5	×	5000	9.0
38.1	×	38.1	×	1.5	×	5000	9.8
40.0	×	40.0	×	1.5	×	5000	10.0
50.0	×	50.0	×	1.5	×	5000	12.90
60.0	×	60.0	×	1.5	×	5000	15.40
75.0	×	75.0	×	2.0	×	5000	24.60
100.0	×	100.0	×	3.0	×	5000	49.20