

C1220T りん脱酸銅丸管 サイズ表【直管】

長さ5000未満

表1~9

表1

表2

外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg	外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg
			O	1/2H	H					O	1/2H	H	
1.6	× 0.3	× 2000			◎	0.02	8.0	× 1.5	× 4000		◎		1.10
2.0	× 0.35	× 2000			◎	0.03	8.0	× 1.5	× 5000			◎	1.38
2.5	× 0.4	× 2000			◎	0.05	8.0	× 2.0	× 5000			◎	1.70
3.0	× 0.5	× 2500			◎	0.09	9.0	× 1.0	× 5000			◎	1.13
3.0	× 0.8	× 5000			◎	0.25	9.0	× 1.5	× 5000			◎	1.59
3.2	× 0.5	× 2500			◎	0.10	9.52	× 0.6	× 5000			◎	0.76
3.5	× 0.5	× 2500			◎	0.11	9.52	× 0.8	× 4000		◎		0.79
4.0	× 0.5	× 4000			◎	0.20	9.52	× 0.8	× 5000		◎	◎	0.99
4.0	× 0.8	× 5000			◎	0.36	9.52	× 1.0	× 4000		◎		0.96
4.0	× 1.0	× 4000		◎		0.34	9.53	× 1.0	× 5000			◎	1.21
4.0	× 1.0	× 5000			◎	0.42	9.53	× 1.2	× 5000			◎	1.41
4.5	× 0.5	× 2500			◎	0.14	9.53	× 1.5	× 5000			◎	1.70
4.76	× 0.8	× 5000			◎	0.45	9.53	× 2.0	× 5000			◎	2.13
5.0	× 0.5	× 5000			◎	0.32	10.0	× 0.5	× 5000			◎	0.67
5.0	× 0.8	× 5000			◎	0.47	10.0	× 0.8	× 5000			◎	1.04
5.0	× 1.0	× 5000			◎	0.57	10.0	× 1.0	× 4000		◎		1.02
6.0	× 0.5	× 5000			◎	0.39	10.0	× 1.0	× 5000			◎	1.27
6.0	× 0.8	× 5000		◎	◎	0.59	10.0	× 1.2	× 4000		◎		1.19
6.0	× 1.0	× 2500		◎		0.35	10.0	× 1.2	× 5000			◎	1.49
6.0	× 1.0	× 4000		◎		0.57	10.0	× 1.5	× 4000		◎		1.44
6.0	× 1.0	× 5000		◎	◎	0.71	10.0	× 1.5	× 5000			◎	1.80
6.0	× 1.2	× 5000			◎	0.81	10.0	× 1.6	× 5000			◎	1.90
6.0	× 1.5	× 5000			◎	0.95	10.0	× 2.0	× 4000		◎		1.81
6.0	× 2.0	× 5000			◎	1.13	10.0	× 2.0	× 5000			◎	2.26
6.35	× 0.8	× 4000		◎		0.50	11.0	× 1.0	× 5000			◎	1.41
6.35	× 0.8	× 5000			◎	0.63	12.0	× 0.8	× 5000			◎	1.27
6.35	× 1.0	× 5000			◎	0.76	12.0	× 1.0	× 4000		◎		1.24
7.0	× 1.0	× 5000			◎	0.85	12.0	× 1.0	× 5000			◎	1.55
7.0	× 1.5	× 5000			◎	1.17	12.0	× 1.2	× 4000		◎		1.46
8.0	× 0.5	× 5000			◎	0.53	12.0	× 1.2	× 5000			◎	1.83
8.0	× 0.8	× 5000			◎	0.81	12.0	× 1.5	× 4000		◎		1.78
8.0	× 1.0	× 4000		◎		0.79	12.0	× 1.5	× 5000			◎	2.23
8.0	× 1.0	× 5000		◎	◎	0.99	12.0	× 1.6	× 5000			◎	2.35
8.0	× 1.2	× 4000		◎		0.92	12.0	× 2.0	× 5000			◎	2.83
8.0	× 1.2	× 5000			◎	1.15	12.0	× 3.0	× 5000			◎	3.82

C1220T りん脱酸銅丸管 サイズ表【直管】

長さ5000未満

表1~9

表3

表4

外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg	外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg
			O	1/2H	H					O	1/2H	H	
12.7	× 0.6	× 5000			○	1.03	16.0	× 1.2	× 4000		○		2.01
12.7	× 0.8	× 4000			○	1.08	16.0	× 1.2	× 5000			○	2.51
12.7	× 0.8	× 5000		○	○	1.35	16.0	× 1.5	× 4000		○		2.46
12.7	× 1.0	× 4000		○	○	1.32	16.0	× 1.5	× 5000			○	3.07
12.7	× 1.0	× 5000		○	○	1.65	16.0	× 2.0	× 5000			○	3.96
12.7	× 1.2	× 4000		○		1.56	16.0	× 4.0	× 5000			○	6.78
12.7	× 1.2	× 5000			○	1.95	17.0	× 2.0	× 5000			○	4.24
12.7	× 1.5	× 5000			○	2.37	18.0	× 1.0	× 5000			○	2.40
12.7	× 2.0	× 5000			○	3.02	18.0	× 1.2	× 5000			○	2.85
12.7	× 3.0	× 5000			○	4.11	18.0	× 1.5	× 5000			○	3.50
13.0	× 2.0	× 5000			○	3.11	18.0	× 2.0	× 4000		○		3.62
14.0	× 1.0	× 4000		○		1.47	18.0	× 2.0	× 5000			○	4.52
14.0	× 1.0	× 5000			○	1.84	18.0	× 3.0	× 5000			○	6.36
14.0	× 1.5	× 5000			○	2.65	19.0	× 1.5	× 5000			○	3.71
14.0	× 2.0	× 5000			○	3.39	19.0	× 2.0	× 5000			○	4.80
14.0	× 3.0	× 5000			○	4.66	19.0	× 3.0	× 5000			○	6.78
15.0	× 1.0	× 4000		○		1.58	19.0	× 4.0	× 5000			○	8.48
15.0	× 1.0	× 5000			○	1.98	19.0	× 5.0	× 5000			○	9.89
15.0	× 1.2	× 4000		○		1.87	19.05	× 0.8	× 4000		○		1.65
15.0	× 1.2	× 5000			○	2.34	19.05	× 0.8	× 5000			○	2.06
15.0	× 1.5	× 4000		○		2.29	19.05	× 1.0	× 4000		○		2.04
15.0	× 2.0	× 5000			○	3.67	19.05	× 1.0	× 5000			○	2.55
15.0	× 3.0	× 5000			○	5.09	19.05	× 1.2	× 4000		○		2.42
15.88	× 0.6	× 5000			○	1.30	19.05	× 1.2	× 5000			○	3.03
15.88	× 0.7	× 5000			○	1.50	20.0	× 1.0	× 5000			○	2.68
15.88	× 0.8	× 4000		○		1.36	20.0	× 1.2	× 5000			○	3.19
15.88	× 0.8	× 5000			○	1.70	20.0	× 1.5	× 4000		○		3.14
15.88	× 1.0	× 4000		○		1.68	20.0	× 1.5	× 5000			○	3.92
15.88	× 1.0	× 5000			○	2.10	20.0	× 2.0	× 4000		○		4.07
15.88	× 1.2	× 4000		○		1.99	20.0	× 2.0	× 5000			○	5.09
15.88	× 1.2	× 5000			○	2.49	20.0	× 2.5	× 5000			○	6.18
15.88	× 1.5	× 5000			○	3.05	20.0	× 3.0	× 5000			○	7.21
15.88	× 2.0	× 5000			○	3.92	20.0	× 4.0	× 5000			○	9.04
15.88	× 3.0	× 5000			○	5.46	20.0	× 5.0	× 5000			○	10.60
16.0	× 1.0	× 5000			○	2.12	22.0	× 1.0	× 5000			○	2.97

C1220T りん脱酸銅丸管 サイズ表【直管】

長さ5000未満

表1~9

表5

表6

外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg	外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg
			O	1/2H	H					O	1/2H	H	
22.0	× 1.5	× 4000		◎		3.48	28.58	× 1.0	× 4000		◎		3.12
22.0	× 1.5	× 5000			◎	4.34	28.58	× 1.0	× 5000			◎	3.90
22.0	× 2.0	× 5000			◎	5.65	28.58	× 1.2	× 4000		◎		3.71
22.0	× 3.0	× 5000			◎	8.05	28.58	× 1.2	× 5000			◎	4.64
22.0	× 4.0	× 5000			◎	10.17	28.58	× 1.5	× 5000			◎	5.74
22.0	× 5.0	× 5000			◎	12.01	28.58	× 2.0	× 5000			◎	7.51
22.22	× 0.8	× 5000			◎	2.42	28.58	× 3.0	× 5000			◎	10.84
22.22	× 1.0	× 4000		◎		2.40	30.0	× 1.0	× 5000			◎	4.10
22.22	× 1.0	× 5000		◎	◎	3.00	30.0	× 1.4	× 4000		◎		4.53
22.22	× 1.2	× 4000		◎		2.85	30.0	× 1.5	× 5000			◎	6.04
22.22	× 1.2	× 5000			◎	3.56	30.0	× 2.0	× 5000			◎	7.91
22.22	× 1.4	× 4000		◎		3.29	30.0	× 3.0	× 5000			◎	11.45
22.22	× 1.5	× 5000			◎	4.39	30.0	× 4.0	× 5000			◎	14.70
24.0	× 2.0	× 5000			◎	6.22	30.0	× 5.0	× 5000			◎	17.66
25.0	× 1.0	× 5000			◎	3.39	31.75	× 1.0	× 4000		◎		3.48
25.0	× 1.2	× 5000			◎	4.04	31.75	× 1.0	× 5000			◎	4.34
25.0	× 1.5	× 5000			◎	4.98	31.75	× 1.2	× 4000		◎		4.14
25.0	× 2.0	× 4000		◎		5.20	31.75	× 1.2	× 5000			◎	5.18
25.0	× 2.0	× 5000			◎	6.50	31.75	× 1.4	× 4000		◎		4.80
25.0	× 3.0	× 5000			◎	9.33	31.75	× 1.5	× 5000			◎	6.41
25.0	× 4.0	× 5000			◎	11.87	31.75	× 2.0	× 5000			◎	8.41
25.0	× 5.0	× 5000			◎	14.13	31.75	× 3.0	× 5000			◎	12.19
25.4	× 1.0	× 4000		◎		2.76	31.75	× 5.0	× 5000			◎	18.90
25.4	× 1.0	× 5000			◎	3.45	32.0	× 2.0	× 5000			◎	8.48
25.4	× 1.2	× 4000		◎		3.28	34.0	× 2.0	× 5000			◎	9.04
25.4	× 1.2	× 5000			◎	4.10	34.0	× 3.0	× 5000			◎	13.14
25.4	× 1.4	× 4000		◎		3.80	34.92	× 1.2	× 4000		◎		4.57
25.4	× 1.5	× 5000			◎	5.07	34.92	× 1.2	× 5000		◎		5.72
25.4	× 2.0	× 5000			◎	6.61	34.92	× 1.4	× 4000		◎		5.30
25.4	× 3.0	× 5000			◎	9.50	35.0	× 1.5	× 5000			◎	7.10
27.0	× 3.0	× 5000			◎	10.17	35.0	× 2.0	× 5000			◎	9.33
28.0	× 1.0	× 5000			◎	3.82	35.0	× 3.0	× 5000			◎	13.56
28.0	× 1.5	× 5000			◎	5.62	35.0	× 5.0	× 5000			◎	21.20
28.0	× 2.0	× 5000			◎	7.35	38.0	× 1.5	× 5000			◎	7.74
28.0	× 3.0	× 5000			◎	10.60	38.0	× 2.0	× 5000			◎	10.17

C1220T りん脱酸銅丸管 サイズ表【直管】

長さ5000未満

表1~9

表7

表8

外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg	外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg
			O	1/2H	H					O	1/2H	H	
38.0	× 3.0	× 5000			◎	14.84	50.8	× 1.4	× 4000		◎		7.82
38.0	× 5.0	× 5000			◎	23.31	50.8	× 1.4	× 5000		◎		9.77
38.1	× 1.0	× 5000			◎	5.24	50.8	× 1.5	× 4000		◎		8.36
38.1	× 1.2	× 4000		◎		5.01	50.8	× 1.5	× 5000		◎	◎	10.45
38.1	× 1.2	× 5000		◎	◎	6.26	50.8	× 2.0	× 5000			◎	13.79
38.1	× 1.35	× 4000		◎		5.61	50.8	× 5.0	× 5000			◎	32.36
38.1	× 1.4	× 5000		◎		7.26	53.98	× 1.5	× 4000		◎		8.90
40.0	× 1.5	× 5000			◎	8.16	53.98	× 1.5	× 5000			◎	11.12
40.0	× 2.0	× 5000			◎	10.74	55.0	× 2.0	× 5000			◎	14.98
40.0	× 3.0	× 5000			◎	15.68	55.0	× 3.0	× 5000			◎	22.04
40.0	× 4.0	× 5000			◎	20.35	55.0	× 5.0	× 5000			◎	35.33
40.0	× 5.0	× 5000			◎	24.73	57.1	× 3.0	× 5000			◎	22.93
41.28	× 1.2	× 4000		◎		5.44	60.0	× 1.5	× 5000			◎	12.40
41.28	× 1.2	× 5000			◎	6.80	60.0	× 2.0	× 5000			◎	16.39
41.28	× 1.45	× 4000		◎		6.53	60.0	× 3.0	× 5000			◎	24.16
41.28	× 1.5	× 5000			◎	8.43	60.0	× 5.0	× 5000			◎	38.86
41.28	× 2.0	× 5000			◎	11.10	63.5	× 1.5	× 4000			◎	10.51
44.45	× 1.2	× 4000		◎		5.87	63.5	× 2.0	× 4000			◎	13.90
44.45	× 1.2	× 5000		◎		7.33	63.5	× 3.0	× 5000			◎	25.65
44.45	× 1.25	× 4000		◎		6.10	66.68	× 1.5	× 4000			◎	11.05
44.45	× 1.4	× 4000		◎		6.81	66.68	× 2.0	× 4000			◎	14.62
44.45	× 1.4	× 5000		◎		8.52	70.0	× 2.0	× 5000			◎	19.22
44.45	× 1.5	× 5000		◎		9.10	70.0	× 3.0	× 5000			◎	28.40
44.45	× 1.55	× 4000		◎		7.52	70.0	× 5.0	× 5000			◎	45.92
44.5	× 1.5	× 5000			◎	9.11	76.2	× 1.5	× 5000			◎	15.83
44.5	× 2.0	× 5000			◎	12.01	76.2	× 2.0	× 5000			◎	20.97
45.0	× 5.0	× 5000			◎	28.26	76.2	× 2.1	× 4000			◎	17.59
48.6	× 3.0	× 5000			◎	19.33	76.2	× 3.0	× 5000			◎	31.03
50.0	× 1.5	× 5000			◎	10.28	76.2	× 5.0	× 5000			◎	50.30
50.0	× 2.0	× 5000			◎	13.56	79.38	× 2.2	× 4000			◎	19.19
50.0	× 3.0	× 5000			◎	19.92	80.0	× 3.0	× 5000			◎	32.64
50.0	× 4.0	× 5000			◎	26.00	80.0	× 5.0	× 5000			◎	52.99
50.0	× 5.0	× 5000			◎	31.79	82.5	× 5.0	× 5000			◎	54.75
50.8	× 1.2	× 4000			◎	6.73	88.9	× 2.0	× 5000			◎	24.56
50.8	× 1.2	× 5000			◎	8.41	88.9	× 3.0	× 5000			◎	36.41

C1220T りん脱酸銅丸管 サイズ表【直管】

長さ5000未満

表1~9

表9

外径 (φ)	肉厚 (t)	長さ (mm)	調質			概算Kg
			O	1/2H	H	
88.9	× 5.0	× 5000			◎	59.28
100.0	× 5.0	× 5000			◎	67.12
101.6	× 2.0	× 5000			◎	28.15
101.6	× 3.0	× 5000			◎	41.80
101.6	× 5.0	× 5000			◎	68.25
110.0	× 3.0	× 5000			◎	45.36
110.0	× 5.0	× 5000			◎	74.18
114.3	× 3.0	× 5000			◎	47.18
114.3	× 5.0	× 5000			◎	77.22
120.0	× 3.0	× 5000			◎	49.60
120.0	× 5.0	× 4000			◎	65.00
130.0	× 5.0	× 5000			◎	88.31
140.0	× 3.0	× 4000			◎	46.46
140.0	× 5.0	× 5000			◎	95.38
150.0	× 3.0	× 5000			◎	62.31
150.0	× 5.0	× 5000			◎	102.44

C1220T-0 (軟) りん脱酸銅丸管 サイズ表【コイル巻き】

表1~4

表1

表2

外径 (φ)	肉厚 (t)	長さ (M)	概算Kg	外径 (φ)	肉厚 (t)	長さ (M)	概算Kg
3.0	× 0.5	× 10	0.35	6.35	× 1.0	× 50	7.56
3.0	× 0.5	× 20	0.71	8.0	× 0.8	× 10	1.63
3.0	× 0.5	× 40	1.41	8.0	× 0.8	× 20	3.26
3.0	× 0.5	× 100	3.53	8.0	× 1.0	× 10	1.98
3.2	× 0.5	× 10	0.38	8.0	× 1.0	× 20	3.96
3.2	× 0.5	× 20	0.76	8.0	× 1.0	× 50	9.89
3.2	× 0.5	× 40	1.53	8.0	× 1.0	× 100	19.78
4.0	× 0.5	× 10	0.49	8.0	× 1.2	× 10	2.31
4.0	× 0.5	× 20	0.99	8.0	× 1.2	× 20	4.61
4.0	× 0.8	× 10	0.72	8.0	× 1.5	× 10	2.76
4.0	× 0.8	× 20	1.45	8.0	× 1.5	× 20	5.51
4.0	× 1.0	× 10	0.85	8.0	× 2.0	× 10	3.39
4.0	× 1.0	× 20	1.70	8.0	× 2.0	× 20	6.78
4.76	× 0.8	× 10	0.90	9.52	× 0.8	× 10	1.97
4.76	× 0.8	× 20	1.79	9.52	× 0.8	× 20	3.94
5.0	× 0.8	× 10	0.95	9.52	× 0.8	× 50	9.86
5.0	× 0.8	× 20	1.90	9.52	× 1.0	× 10	2.41
5.0	× 1.0	× 10	1.13	9.52	× 1.0	× 50	12.04
5.0	× 1.0	× 20	2.26	9.53	× 0.8	× 10	1.97
6.0	× 0.6	× 10	0.92	9.53	× 0.8	× 20	3.95
6.0	× 0.8	× 10	1.18	9.53	× 0.8	× 50	9.87
6.0	× 0.8	× 20	2.35	9.53	× 1.0	× 10	2.41
6.0	× 1.0	× 10	1.41	9.53	× 1.0	× 20	4.82
6.0	× 1.0	× 20	2.83	9.53	× 1.0	× 50	12.05
6.0	× 1.0	× 50	7.07	9.53	× 1.2	× 10	2.82
6.0	× 1.0	× 100	14.13	9.53	× 1.2	× 20	5.65
6.0	× 1.2	× 10	1.63	10.0	× 0.8	× 10	2.08
6.0	× 1.2	× 20	3.26	10.0	× 0.8	20	4.16
6.0	× 1.5	× 10	1.91	10.0	× 1.0	× 10	2.54
6.0	× 1.5	× 20	3.82	10.0	× 1.2	× 10	2.98
6.35	× 0.8	× 10	1.25	10.0	× 1.2	× 20	5.97
6.35	× 0.8	× 20	2.51	10.0	× 1.5	× 10	3.60
6.35	× 0.8	× 50	6.27	10.0	× 1.5	× 20	7.21
6.35	× 1.0	× 10	1.51	10.0	× 2.0	× 10	4.52
6.35	× 1.0	× 20	3.02	10.0	× 2.0	× 20	9.04

C1220T-0 (軟) りん脱酸銅丸管 サイズ表 【コイル巻き】

表1~4

表3

表4

外径 (φ)	肉厚 (t)	長さ (M)	概算Kg	外径 (φ)	肉厚 (t)	長さ (M)	概算Kg
12.0	× 0.8	× 10	2.53	19.05	× 0.8	× 10	4.13
12.0	× 0.8	× 20	5.06	19.05	× 0.8	× 20	8.25
12.0	× 1.0	× 10	3.11	19.05	× 1.0	× 10	5.10
12.0	× 1.0	× 20	6.22	19.05	× 1.0	× 20	10.20
12.0	× 1.2	× 10	3.66	19.05	× 1.2	× 10	6.05
12.0	× 1.2	× 20	7.32	22.22	× 1.0	× 20	11.99
12.0	× 1.5	× 10	4.45				
12.0	× 1.5	× 20	8.90				
12.7	× 0.8	× 10	2.69				
12.7	× 0.8	× 20	5.38				
12.7	× 1.0	× 10	3.31				
12.7	× 1.0	× 20	6.61				
12.7	× 1.0	× 50	16.53				
12.7	× 1.5	× 10	4.75				
12.7	× 1.5	× 20	9.50				
14.0	× 1.0	× 10	3.67				
14.0	× 1.0	× 20	7.35				
15.0	× 1.0	× 10	3.96				
15.0	× 1.0	× 20	7.91				
15.0	× 1.5	× 10	5.72				
15.0	× 1.5	× 20	11.45				
15.88	× 0.8	× 10	3.41				
15.88	× 0.8	× 20	6.82				
15.88	× 1.0	× 10	4.21				
15.88	× 1.0	× 20	8.41				
15.88	× 1.0	× 50	21.03				
15.88	× 1.5	× 10	6.10				
15.88	× 1.5	× 20	12.19				
16.0	× 2.0	× 10	7.91				
16.0	× 2.0	× 20	15.83				

C1220T-H りん脱酸銅角管 サイズ表

長さ5000未満

銅四角管

サイズ (mm)				概算Kg
高さ	幅	厚み	長さ	
6.0	× 6.0	× 1.0	× 4500	0.80
8.0	× 8.0	× 1.0	× 5000	1.30
8.0	× 8.0	× 1.5	× 5000	1.80
10.0	× 10.0	× 1.0	× 5000	1.70
10.0	× 10.0	× 1.5	× 5000	2.40
12.0	× 12.0	× 1.0	× 5000	1.90
12.0	× 12.0	× 1.5	× 5000	2.80
15.0	× 15.0	× 1.5	× 5000	3.70
15.0	× 15.0	× 2.0	× 5000	4.80
20.0	× 20.0	× 1.5	× 5000	5.00
20.0	× 20.0	× 2.0	× 5000	6.60
25.0	× 25.0	× 2.0	× 5000	8.40
30.0	× 30.0	× 1.5	× 5000	7.70
30.0	× 30.0	× 2.2	× 5000	11.00

銅平角管

サイズ (mm)				概算Kg
高さ	幅	厚み	長さ	
5.0	× 8.0	× 1.0	× 5000	1.10
6.0	× 12.0	× 1.2	× 5000	1.70
6.0	× 12.0	× 1.5	× 5000	2.10
6.0	× 24.0	× 1.5	× 5000	3.70
7.0	× 9.0	× 1.5	× 5000	1.90
8.0	× 10.0	× 1.5	× 5000	2.10
8.5	× 12.0	× 1.5	× 5000	2.40
10.0	× 12.0	× 1.5	× 5000	2.70
10.0	× 15.0	× 1.0	× 5000	2.10
10.0	× 15.0	× 1.5	× 5000	3.00
10.0	× 20.0	× 1.5	× 5000	3.70
10.0	× 20.0	× 2.0	× 5000	4.60
10.0	× 25.0	× 1.6	× 5000	4.60
10.0	× 30.0	× 1.5	× 5000	5.00
10.0	× 30.0	× 2.0	× 5000	6.60
12.0	× 18.0	× 2.0	× 5000	4.80
12.0	× 22.0	× 2.2	× 5000	5.90
14.0	× 16.0	× 2.0	× 5000	4.80
15.0	× 20.0	× 1.5	× 5000	4.40
15.0	× 20.0	× 2.0	× 5000	5.60
15.0	× 30.0	× 1.5	× 5000	5.70
15.0	× 30.0	× 2.0	× 5000	7.50
20.0	× 40.0	× 1.5	× 5000	7.70