

BC-6C (CAC406C) 連続鑄造青銅丸棒

表1~2

※=在庫無くなり次第廃番

☆=在庫限り

表1

呼称寸法 外径(mm)	長さ (mm) 定尺 (-0~+120)		製造寸法 (参考) 外径 (mm)	概算重量 (kg/m)
20		3000	20.7 ~ 22.0	3.2
25		3000	25.7 ~ 27.0	4.9
30		3000	30.7 ~ 32.0	7.0
35		3000	35.7 ~ 37.0	9.4
40		3000	40.7 ~ 42.0	12.0
45		3000	45.7 ~ 47.0	15.1
50		3000	50.7 ~ 52.0	18.6
55		3000	55.7 ~ 57.0	22.7
60		3000	60.7 ~ 62.0	26.6
65		3000	65.7 ~ 67.0	31.1
70		3000	70.7 ~ 72.0	36.0
75		3000	75.7 ~ 77.0	41.2
80		3000	81.0 ~ 82.5	47.0
85		3000	86.0 ~ 87.5	52.9
90		3000	91.0 ~ 92.5	59.1
95		3000	96.0 ~ 97.5	66.2
100		3000	101.0 ~ 103.5	73.2
105		3000	106.0 ~ 108.5	80.5
110		3000	111.0 ~ 113.5	88.2
115		3000	116.0 ~ 118.5	96.2
120		3000	121.0 ~ 123.5	104.6
125		3000	126.0 ~ 128.5	114.6
130		3000	131.0 ~ 133.5	123.4
140		3000	141.0 ~ 144.5	143.8
150		3000	151.0 ~ 154.5	164.6
160		3000	161.0 ~ 164.5	186.8
170		2500	171.0 ~ 175.0	214.4
180	1200		181.0 ~ 184.5	235.5
※ 190	☆ 乱尺		191.0 ~ 195.0	263.5
200	1200		202.0 ~ 206.0	289.7
210	1200		212.0 ~ 216.0	324.5

BC-6C (CAC406C) 連続铸造青铜丸棒

表1~2

表2

呼称寸法 外径(mm)	長さ (mm) 定尺 (-0~+120)	製造寸法 (参考) 外径 (mm)	概算重量 (kg/m)
230	1200	232.0 ~ 236.0	376.9
250	1200	252.0 ~ 256.0	451.8
270	1200	272.5 ~ 277.0	528.2
300	1200	302.5 ~ 307.0	651.2

BC-3C (CAC403C) 連続鑄造青銅丸棒

表1~2

☆=在庫限り

表1

呼称寸法 外径(mm)	長さ (mm)		製造寸法 (参考) 外径 (mm)	概算重量 (kg/m)
	定尺 (-0~+120)			
14	2000		13.7 ~ 14.3	1.4
16	2000		15.7 ~ 16.3	1.8
20		3000	20.7 ~ 22.5	3.5
25	2000	3000	25.7 ~ 27.5	5.1
30	2000	3000	30.7 ~ 32.5	7.0
35	2000	3000	35.7 ~ 37.5	9.4
40	2000	3000	40.7 ~ 42.5	12.5
45	2000	3000	45.7 ~ 47.5	15.2
50	2000	3000	50.7 ~ 52.5	19.1
55		3000	55.7 ~ 57.5	22.5
60		3000	60.7 ~ 62.5	26.9
65		3000	65.7 ~ 67.5	32.1
70	2000	3000	70.7 ~ 72.5	36.8
75	2000	3000	75.7 ~ 77.5	41.2
80	2000	3000	81.0 ~ 83.0	47.8
85		3000	86.0 ~ 88.0	53.8
90	☆ 2000	3000	91.0 ~ 93.0	60.1
95		3000	96.0 ~ 98.0	66.6
100		3000	101.0 ~ 104.0	74.0
110		3000	111.0 ~ 114.0	88.2
120		3000	121.0 ~ 124.0	104.9
130	☆ 2500	3000	131.0 ~ 134.0	125.7
140		3000	141.0 ~ 145.0	143.1
150		3000	151.0 ~ 155.0	168.3
160	☆ 2400	3000	161.0 ~ 165.0	186.8
170		3000	171.0 ~ 175.0	211.7
180	1200		181.0 ~ 185.0	235.5
190	1200		191.0 ~ 195.0	267.0
200	1200	☆ 3000	202.0 ~ 207.0	292.0
210	1200		212.0 ~ 218.0	326.9
220	1200		222.0 ~ 228.0	355.5

BC-3C (CAC403C) 連続鑄造青銅丸棒

表1~2

☆=在庫限り

表2

呼称寸法 外径(mm)	長さ (mm) 定尺 (-0~+120)		製造寸法 (参考) 外径 (mm)	概算重量 (kg/m)
230	1200		232.0 ~ 240.0	391.9
250	1200		252.0 ~ 260.0	460.5
260	1200		262.5 ~ 270.0	507.1
280	1200		282.5 ~ 290.0	575.5
300	1100		302.5 ~ 310.0	654.6